CARBOHYDRATE RESEARCH VOL. 202 (1990)

AUTHOR INDEX

Aamlid, K. H., 117
Adelhorst, K., 131
Anderson, L., 239

Baer, H. H., 33
Birnbach, S., 207
Bock, K., 131
Bouammali, B., 151
Boullanger, P., 151

Caulfield, T. J., 177
Cenci di Bello, I., 105
Challenger, S., 81
Collin, W. F., 105

Dasgupta, F., 225, 239
Descotes, G., 151

Fleet, G. W. J., 105

Garegg, P. J., 225
Genin, D., 81

Hanessian, S., 67
Haraldsson, M., 105
Heathcock, C. H., 13
Hendricks, C. A. V., 49
Hough, L., 117

Ito, Y., 165

Jouineau, M., 151

Kagotani, M., 67
Katoaka, H. F., 177
Kunz, H., 207

Lafont, D., 151

Mahnken, R. E., 49
Martin, O. R., 49
Montgomery, S. H., 13

Nicolaou, K. C., 177
Nübling, C., 1
Numata, M., 165

Ogawa, T., 165

Pirrung, M. C., 13
Prasit, P., 93
Procter, G., 81

Rao, S. P., 49
Richardson, A. C., 117
Robertson, G., 93
Rokach, J., 93

Santoyo González, F., 33
Schmidt, R. R., 193
Sinaÿ, P., 257
Sugimoto, M., 165

Tavecchia, P., 257
Toepfer, A., 193
Trost, B. M., 1
Trumtel, M., 257

Veyrières, A., 257

Wernig, P., 207
Winchester, B., 105

CARBOHYDRATE RESEARCH VOL. 202 (1990)

SUBJECT INDEX

Acetylated carbohydrates, novel methods for the preparation of partially, 67
aldehydo forms from 6-*S*-phenyl-6-thio-D-hexoses, synthesis of L-gulose, L-galactose, and their acetylated, 33
Aldol reaction: L-cladinose, *de novo* synthesis of carbohydrates by stereoselective, 13
N-Alkoxycarbonyl derivatives of 2-amino-2-deoxy-D-glucose as donors in glycosylation reactions, the use of, 13
1,6-Anhydro-β-D-glucopyranose in organic synthesis: preparation of a fragment for the synthesis of rosaramycin, 81
Arylation, *C*-, reactions of benzylated glycosides, multiple and long-range participation of benzyl groups, of benzylated glycosides, 49
Asymmetric approach to 2-deoxynucleosides *via* organosulfur building blocks as chemical chameleons, 1

Benzeneselenyl triflate, as an activator of thioglycosides for glycosylation reactions, 165
Benzyl groups, participation of, in intramolecular *C*-arylation reactions of benzylated glycosides, 49
Bovine serum albumin, synthesis of glycopeptides with T_N and T antigen structures and their coupling to, 207

Castanospermine and 1-deoxy-6,8a-diepicastanospermine, synthesis of 1-deoxy-6-epi-, 117
L-Cladinose, *de novo* synthesis of carbohydrates by stereoselective aldol reaction:, 13
Contiguous carbinol centres: application to the synthesis of both enantiomers of natural products from the same enantiomerically pure starting material, inversion of configuration at, 93

Deoxy-6-epicastanospermine and 1-deoxy-6,8a-diepicastanospermine synthesis of 1-, 117
Deoxynucleosides *via* organosulfur building blocks as chemical chameleons, an asymmetric approach to 2-, 1
Derivatives of methyl β-lactoside as substrates for and inhibitors of β-D-galactosidase from *E. coli*, 131

Effect on human liver glycosidases and short syntheses of 1α,2α,6α,7α,7aβ-1,2,6,7-tetrahydroxypyrrolizidine from D-*glycero*-D-*gulo*-heptono-1,4-lactone, 105

β-D-Galactosidase from *E. coli*, derivatives of methyl β-lactoside as substrates for and inhibitors of, 131
Globotraosylceramide (Gb3) and lysoglobotriaosylceramide (LysoGb3) total synthesis of, 127
Glycopeptides with the T_N and T antigen structures, synthesis of, and their coupling to bovine serum albumin, 207
Glycosyl donor in syntheses of oligosaccharides, 1,3,4,6-tetra-*O*-acetyl-2-chloroacetamido-2-deoxy-β-D-glucopyranose as a, 239
Glycosyl donors for the synthesis of muramyl-containing glycosphingolipids and fatty acids, muramic acid derivatives as, 193
Glycosylation reactions, benzeneselenyl triflate as an activator of thioglycosides for, 165
Glycosylation reactions, the use of *N*-alkoxycarbonyl derivatives of 2-amino-2-deoxy-D-glucose as donors in, 13
Glycosylation reactions with alkyl(aryl)1-thioglycopyranosides, use of the methylsulfenyl cation as an activator for, 225

Inversion of configuration at contiguous carbinol centres: application to the synthesis of both enantiomers of natural products from the same enantiomerically pure starting material, 93

Lysoglobotriaosylceramide (LysoGb3), total synthesis of globotriaosylceramide (Gb3) and, 127

Methyl β-lactoside, derivatives of, as substrates for and inhibitors of β-D-galactosidase from *E. coli*, 131
Muramic acid derivatives as glycosyl donors for the synthesis of muramyl-containing glycosphingolipids and fatty acids, 193

Novel methods for the preparation of partially acetylated carbohydrates, 67

Oligosaccharide synthesis, 1,3,4,6-tetra-*O*-acetyl-2-chloroacetamido-2-deoxy-β-D-glucopyranose as a glycosyl donor in, 239
Organosulfur building blocks as chemical chameleons, an asymmetric approach to 2-deoxynu-

cleosides *via*, 1
Orthosomycins, syntheses of trisaccharide C–D–E and tetrasaccharide B–C–D–E fragments found in, 257

Partially acetylated carbohydrates, novel methods for the preparation of, 67
Participation of benzyl groups in intramolecular *C*-arylation reactions of benzylated glycosides, multiple and long-range, 49
6-*S*-Phenyl-6-thio-D-hexoses, synthesis of L-gulose, L-galactose, and their acetylated *aldehydo* forms from, 33

Rosaramycin, preparation from 1,6-anhydro-β-D-glucopyranose of a fragment for the synthesis of rosaramycin, 81

Syntheses of 1α,2α,6α,7α,7aβ-1,2,6,7- tetrahydroxypyrrolizidine from D-*glycero*-D-*gulo*-heptono-1,4-lactone, effect on human liver glycosidases and short, 105
Syntheses of triasaccharide C–D–E and tetrasaccharide B–C–D–E fragments found in orthosomycins, syntheses of, 257
Synthesis of a rosaramycin fragment from 1,6-anhydro-β-D-glucopyranose as starting material, 81
Synthesis of both enantiomers of natural products from the same enantiomerically pure starting material, inversion of configuration at contiguous carbinol centres: application to the, 93
De novo synthesis of carbohydrates by stereoselective aldol reaction: L-cladinose, 13
Synthesis of 1-deoxy-6-epi-castanospermine and 1-deoxy-6,8a-diepicastanospermine, 117
Synthesis of glycopeptides with T_N and T antigen structures, and their coupling to bovine serum albumin, 207
Synthesis of L-galactose, and their acetylated *aldehydo* forms from 6-*S*-phenyl-6-thio-D-hexoses, 33
Synthesis of methyl *O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-(1→6)-*O*-α-D-glucopyranosyl-(1→2)-α-D-glucopyranoside, a derivative of the core trisaccharide of *E. coli* K12, 225
Synthesis of muramyl-containing glycosphingolipids and fatty acids, muramic acid derivatives as glycosyl donors for the, 193

1,3,4,6-Tetra-*O*-acetyl-2-chloroacetamido-2-deoxy-β-D-glucopyranose as a glycosyl donor in syntheses of oligosaccharides, 239
Tetrahydroxypyrrolizidine from D-*glycero*-D-*gulo*-heptono-1,4-lactone, effect on human liver glycosidases and short syntheses of 1α,2α,6α,7α,7aβ-1,2,6,7-, 105
Thioglycosides, for glycosylation reactions, benzeneselenyl triflate as an activator of, 165
Total synthesis of globotraosylceramide (Gb3) and lysoglobotriaosylceramide (LysoGb3), 127
Trisaccharide C–D–E and tetrasaccharide B–C–D–E fragments found in orthosomycins, syntheses of, 257
Trisaccharide of *E. coli* K12, synthesis of methyl *O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-(1→6)-*O*-α-D-glucopyranosyl-(1→2)-α-D-glucopyranoside — a derivative of the core, 225

Use of *N*-alkoxycarbonyl derivatives of 2-amino-2-deoxy-D-glucose as donors in glycosylation reactions, 13